






CATALOGUE
2025-26



Manufacturing of :
**CNC, VMC TOOLS,
POWER CHUCK & SPARES**




R. R. TOOLS (INDIA)

www.rrtoolsindia.in

M/W - Clamp Multi Lock System

MTJNR/L


WIDIA CLAMP



1616-H16
2020-K16
2525-M16

MCLNR/L

HL CLAMP



2020-K12
2525-M12
3232-P12
3232-P19
3232-P16
4040-R16

MVVNN


HL CLAMP



2020-K16
2525-M16
3232-P16
4040-R16

MTENN

WIDIA CLAMP



2020-K16
2525-M16

MCKNR/L


HL CLAMP



2020-K12
2525-M12
3232-P12

MVQNR/L

HL CLAMP



2020-K16
2525-M16
3232-P16
4040-R16

MTFNR/L

HL CLAMP



2020-K16
2525-M16
3232-P16

MCBNR/L

HL CLAMP



2020-K12
2525-M12
3232-P12
3232-P19
4040-R19

MVUNR/L

HL CLAMP



2020-K16
2525-M16

MTJNR/L


HL CLAMP



2020-K16
2525-M16
2525-M16 T
3232-P16
3232-P22
4040-R22

MDQNR/L

HL CLAMP



1616-H11
2020-K11
2525-M11
2020-K15
2525-M15
3232-P15

MVJNR/L

HL CLAMP



2020-K16
2525-M16
3232-P16

MCLNR/L

HL CLAMP



2020-K16
2525-M16
2525-M22
3232-P16
3232-P22

MDJNR/L MDPNN

HL CLAMP



2020-K15
2525-M15
3232-P15

MWLNR/L

HL CLAMP



1616-H06
2020-K06
2525-M06
2020-K08
2525-M08
3232-P08
4040-R08

MSSNR/L

HL CLAMP



2020-K12
2525-M12
3232-P15
3232-P19

MSDNN MSKNR/L

HL CLAMP



2020-K12
2525-M12
3232-P15
3232-P15
3232-P19

MSBNR/L

HL CLAMP



3232-P12
3232-P19
3232-P15
4040-R19

A - Clamp System

ACLNR/L



2020-K12
2525-M12

ACKNR/L



2020-K12
2525-M12
3232-P12

ACBNR/L



2020-K12
2525-M12

ACZNN




2020-K12
2525-M12

AWLNR/L 08 AWLNR/L 06



2020-K08
2525-M08
2525-M06
2020-K06

ACBNN



2020-K12
2525-M12

ASBNR/L



2020-K12
2525-M12

ASDNN



2020-K12
2525-M12


ADJNR/L



2020-K15
2525-M15

B - Clamp System

BTJNR/L



2020-K16
2525-M16
3232-P16

BTQNR/L



2020-K16
2525-M16
3232-P16

BTENN



2020-K16
2525-M16
3232-P16

BWLNR/L



2020-K08
2525-M08

BDJNR/L



2020-K15
2525-M15
3232-P15

BWLNR/L



2020-K06
2525-M06

BSDNN



2020-K12
2525-M12

BDJNR BDPNN



2020-K11
2525-M11


BVQNR BVVNN



2020-K16
2525-M16

Threading

SER/L



1212-F16
1616-H16
2020-K16
2525-M16
3232-P16

SER/L



2020-K22
2525-M22
2525-M27
3232-P22
3232-P16
3232-P27
4040-R22

SER/L



2525-M16-V
2020-K16-V

Screw on System

SCKCR/L



1212-F06
1616-H06
2020-K06
2525-M06
2020-K09
2525-M09

SVQBR/L / SVJBR/L



2020-K16
2525-M16
2020-K11
2525-M11
3232-P16

SDJCR/L



1616-H07
2020-K07
2020-K11
2525-M07
2525-M11

SVVNN



1616-H12
2020-K12
2525-M12

SVQNR/L SVUNR/L



2020-K12
2525-M12

STFCR/L



2020-K11
2525-M11
2020-K16
2525-M16

SVUBR/L



1616-H11
2020-K11
2525-M11
2020-K16
2525-M16

SVJCR/L



2020-K11
2525-M11

SCMCN



TIP CCMT 12

2525-M12

Tip CCMT 12

Spl. Centre



2525 - 6.35, 8.00, 10.00,
12.00, 14.00mm
2020 - 6.35, 8.00, 10.00,
12.00, 14.00 mm

Spl. Centre



2525 - 14mm
2525 - 16mm

SSDCN




TIP SCMT 1204

2525-M12

Tip SCMT 1204

Parting & Grooving

STVR/L



SANDVIK Tip

2020-2,3,4
2525-2,3,4
**T-MAX -7, 10, 12,
15, 18, 21, 25**

KTVR/L



KENAMETAL Tip

2020-2mm
2020-3mm
2020-4mm
2525-2mm
2525-3mm
2525-4mm
T-MAX -15, 18

KGDR/L



KYOCERA Tip

2020-2mm
2020-3mm
2020-4mm
2525-2mm
2525-3mm
2525-4mm
T-MAX -15, 18

Parting & Grooving

TTER/L

TaeguTec Tip



2020-2,3,4
2525-2,3,4
T-MAX -7, 10, 12

TTER/L

TaeguTec Tip



2020-2,3,4,5
2525-2,3,4,5
T-MAX -15, 18

TTER/L


TaeguTec Tip



2020-2,3,4,5
2525-2,3,4,5
T-MAX -21, 25

MGEHR/L


Korloy Tip



2020-2,3,4
2525-2,3,4
T-MAX -7, 10, 12

MGEHR/L

Korloy Tip



2020-2,3,4,5
2525-2,3,4,5
T-MAX -15, 18

MGEHR/L

Korloy Tip



2020-2,3,4,5
2525-2,3,4,5
T-MAX -21, 25

CTVR/L

CERATIZIT Tip GX-24mm



2020-2,3,4
2525-2,3,4
**T-MAX -7, 10, 12, 15
18, 21, 25**

CTVR/L


CERATIZIT Tip GX-16mm



2020-2,3,4
2525-2,3,4
**T-MAX -7, 10, 12, 15
18, 21, 25**

MAXI CLICK-R/L


CERATIZIT Tip



2020-1mm T-Max-5
2525-1mm T-Max-5
2020-1.5mm T-Max-7
2525-1.5mm T-Max-7

MGEUR/L


Korloy Tip



2020-3mm 45°
2525-3mm 45°

PCHR/L

Iscar Tip PENTACUT



2020-20-24
2525-25-24


KTGFR/L

Kyocera Tip



2020-K16
2525-M16
2525-M22

SPB



2525, 2020
Strip 2,3,4mm
Blade 100, 150,
200mm

VMBB

TGEUR/L

TaeguTec Tip




2020-3mm 45°
2525-3mm 45°

Face Grooving

TTFR/L


TaeguTec Tip



2020-2, 3, 4 T-max-5
2525-2, 3, 4 T-max-5
40 mm to 400 mm

TTFPR/L

TaeguTec Tip



2525-2 30-60
2525-3 60-120
T-MAX -12, 16

SCFR (SCMT 09 TIP)

Face Grooving



2525-09 55-90

Face Grooving

| | | |
|---|--|--|
| TTFR/L TaeguTec Tip  2525-3 24-35 T-MAX -12, 16 | TTFR/L TaeguTec Tip  2525-3 29-40 T-MAX -12, 16 | TTFR/L TaeguTec Tip  2525-3 30-60 T-MAX -12, 16 |
| TTFR/L TaeguTec Tip  2525-3 34-50 T-MAX -12, 16 | TTFR/L TaeguTec Tip  2525-3 44-70 T-MAX -12, 16 | TTFR/L TaeguTec Tip  2525-3 50-85 T-MAX -12, 16 |
| TTFR/L TaeguTec Tip  2525-3 50-100 T-MAX -12, 16 | TTFR/L TaeguTec Tip  2525-3 60-120 T-MAX -12, 16 | TTFR/L TaeguTec Tip  2020-3 30-60 2525-3 30-60 T-MAX -12, 16 |
| MGFHR/L / CTFR/L Korloy Tip CERATIZIT Tip  2020-3 30-60 2525-3 30-60 2020-3 60-120 2525-3 60-120 T-MAX -12, 16 | TTFR/L TaeguTec Tip  2020-2, 3, 4 2525-2, 3, 4 40 mm to 400 mm T-MAX -5 | TTFR/L TaeguTec Tip  2020-3 24-35 2525-3 24-35 T-MAX -12, 16 |

Screw on System

| | | |
|---|--|--|
| SRDPN/SRDCN RCMT/RPMT  2525-M12-20, 30, 40 2525-M10-20, 30, 40 2020-K12-20, 30, 40 2020-K10-20, 30, 40 | SRDCN RCMT/RPMT  3232-P12 3232-P16 | SRDPN/SRDCN RCMT/RPMT  2525-M12-40 2525-M10-40 2020-K12-40 2020-K10-40 |
| SRACR/L SRAPR/L RCMT/RPMT  2525-M12-20, 30, 40 2525-M10-20, 30, 40 2020-K12-20, 30, 40 2020-K10-20, 30, 40 3232-P08 | SRGPR/L RCMT/RPMT  2020 - K08 2525 - M08 2020 - K10 2525 - M10 2020 - K12 2525 - M12 | SRDCN RCMT/RPMT  3232 P16 |

Screw on System

SCLCR/L



S08H SCLCR/L06
S10K SCLCR/L06
S12M SCLCR/L06,09
S16Q SCLCR/L09
S20Q SCLCR/L09
S25R SCLCR/L09
S32S SCLCR/L09
S40T SCLCR/L09
S50U SCLCR/L09

SCKCR/L




S08H SCKCR/L06
S10K SCKCR/L06
S12M SCKCR/L06,09
S16Q SCKCR/L09
S20Q SCKCR/L09
S25R SCKCR/L09
S32S SCKCR/L09
S40T SCKCR/L09
S50U SCKCR/L09

SDXCR/L



S16Q SDXCR/L 07,11
S20Q SDXCR/L 11
S25R SDXCR/L 11

SDUCR/L SDQCR/L



S10K SDUCR/L07
S12M SDUCR/L07
S16Q SDUCR/L07
S16Q SDUCR/L11
S20Q SDUCR/L11
S25R SDUCR/L11
S32S SDUCR/L11
S40T SDUCR/L11

SDZCR/L



S10K SDZCR/L07
S12M SDZCR/L07
S16Q SDZCR/L07
S16Q SDZCR/L11
S20Q SDZCR/L11
S25R SDZCR/L11
S32S SDZCR/L11
S40T SDZCR/L11

SDWCR/L



S10K SDWCR/L07
S12M SDWCR/L07
S16Q SDWCR/L07
S16Q SDWCR/L11
S20Q SDWCR/L11
S25R SDWCR/L11
S32S SDWCR/L11
S40T SDWCR/L11

STFCR 45°



S12M STFCR/L11 45°
S16Q STFCR/L11 45°
S20Q STFCR/L11 45°

STUCR/L STFCR/L



S08H STFCR/L09
S10K STFCR/L09
S10K STFCR/L11
S12M STFCR/L11
S16Q STFCR/L11
S20Q STFCR/L11,16
S25R STFCR/L11,16
S32S STFCR/L11,16
S40T STFCR/L16

STWCR/L



S10K STWCR/L11
S12M STWCR/L11
S16Q STWCR/L11
S25R STWCR/L16
S20Q STWCR/L11,16
S32S STWCR/L11,16

SVJCR/L SVXBR/L SVXCR/L



S12/10 SVJCR/L08
S16Q SVXBR/L11
S20Q SVXBR/L11
S25R SVXBR/L16
S32S SVXBR/L16
S12M SVJBR/L11
S16Q SVJBR/L11

SVQBR/L SVQCR/L SVJBR/L



S16Q SVQBR/L11
S20Q SVQBR/L11
S25R SVQBR/L16
S32S SVQBR/L16
S16Q SVQCR/L11
S20Q SVQCR/L11,16
S25R SVQCR/L16
S32S SVQCR/L16
S12M SVJCR/L11
S16Q SVJCR/L11

SVZBR/L SVZCR/L



S16Q SVUBR/L11
S20Q SVUBR/L16
S25R SVUBR/L16
S32S SVUBR/L16

SVWBR/L SVWCR/L



S16Q SVWBR/L11
S20Q SVWBR/L11
S25R SVWBR/L16
S32S SVWBR/L16
S16Q SVWCR/L11
S20Q SVWCR/L11
S25R SVWCR/L16
S32S SVWCR/L16

SVUNR/L



WIDIA 12

S16Q SVUNR/L12
S20Q SVUNR/L12
S25R SVUNR/L12
S32S SVUNR/L12

SVQNR/L



WIDIA 12

S16Q SVQNR/L12
S20Q SVQNR/L12
S25Q SVQNR/L12
S32Q SVQNR/L12

Carbide Shank Boring Bar

SCLCR/L



C08H SCLCR/L06
C10K SCLCR/L06
C12M SCLCR/L06,09
C16Q SCLCR/L09
C20R SCLCR/L09
C25R SCLCR/L09

STUPR/L STFCR/L



C10K STUPR/L11
C12M STUPR/L11
C16Q STUPR/L11
C20R STUPR/L11
C10K STFCR/L09/11
C12M STFCR/L11
C16Q STFCR/L11
C20R STFCR/L11

SWUBR/L SDQCR/L SDUCR/L



C10K SWUBR/L0606
C10K SDQCR/L07
C12M SDQCR/L07
C16Q SDQCR/L11
C20R SDQCR/L11
C10K SDUCR/L07
C12M SDUCR/L07/11
C16Q SDUCR/L07/11

A - Clamp System

ACLNR/L



S25R ACLNR/L12
S32S ACLNR/L12
S40T ACLNR/L12
S50U ACLNR/L12

ACKNR/L



S25R ACKNR/L12
S32S ACKNR/L12
S40T ACKNR/L12
S50U ACKNR/L12

AWLNR/L



S20Q AWLNR/L06
S25R AWLNR/L06
S20Q AWLNR/L08
S25R AWLNR/L08
S32S AWLNR/L08
S40T AWLNR/L08
S50U AWLNR/L08

B - Clamp System

BWLNR/L



S20Q BWLNR/L08
S25R BWLNR/L08
S32S BWLNR/L08
S40T BWLNR/L08

BWLNR/L



S20Q BWLNR/L06
S25R BWLNR/L06
S32S BWLNR/L06
S40T BWLNR/L06

BTUNR/L




S25R BTUNR/L 16
S23S BTUNR/L 16
S40T BTUNR/L 16

BT-NR/L



S25R BT-NR/L16
S32S BT-NR/L16
S40T BT-NR/L16

BTQNR/L



S20Q BTQNR/L16

BTQNR/L



S25R BTQNR/L 16
S23S BTQNR/L 16
S40T BTQNR/L 16

M - Clamp Multi Lock System

MCLNR/L MCKNR/L



S16Q MCLNR/L09
S20Q MCLNR/L12
S25R MCLNR/L12
S32S MCLNR/L12
S40T MCLNR/L12
S20Q MCKNR/L12
S25R MCKNR/L12
S32S MCKNR/L12
S40T MCKNR/L12,16

MTFNR/L (MTUNR/L)



S20Q MTFNR/L16
S25R MTFNR/L16
S32S MTFNR/L16
S40T MTFNR/L16
S40T MTUNR/L 16

MTQNR/L



S20Q MTQNR/L16
S25R MTQNR/L16
S32S MTQNR/L16
S40T MTQNR/L16

MWLNR/L



S16Q MWLNR/L06
S20Q MWLNR/L06
S25R MWLNR/L06
S20Q MWLNR/L08
S25R MWLNR/L08
S32S MWLNR/L08
S40T MWLNR/L08

MXNR/L MVQNR/L



S20Q MXNR/L16
S25R MXNR/L16
S32S MXNR/L16
S25R MVQNR/L16
S32S MVQNR/L16
S40T MVQNR/L16
S50U MVQNR/L16

MVWNR/L MVUNR/L



S25R MVWNR/L16
S32S MVWNR/L16
S25R MVUNR/L16
S32S MVUNR/L16
S40T MVUNR/L16
S50U MVUNR/L16

MDUNR/L MDZNR/L



S25R MDUNR/L11
S32S MDUNR/L15
S40T MDUNR/L15
S25R MDZNR/L11
S32S MDZNR/L15
S40T MDZNR/L15

MDQNR/L



S25R MDQNR/L11
S32S MDQNR/L15
S40T MDQNR/L15

MV-NR/L



S20Q MV-NR-L16
S25R MV-NR-L16
S32S MV-NR-L16
S40T MV-NR-L16

Threading

SINR/L



SINR/L 005-K06 - 15
SINR/L 005-K06 - 18
SINR/L 005-K06 - 21

SINR/L



SINR/L 007-K08 - 15
SINR/L 007-K08 - 18
SINR/L 007-K08 - 21
SINR/L 007-K08 - 25

SINR/L



SINR/L 010-K11-21
SINR/L 010-K11-25
SINR/L 010-K11-35

SINR/L



SINR/L 012 K11 - 16
SINR/L 012 K11 - 21
SINR/L 012 K11 - 35

SINR/L



SINR/L 0013-Q16-35

SINR/L



SINR/L 0016-M16
SINR/L 0020-R16, R22
SINR/L 0025-R16, R22
SINR/L 0032-S16, S22,
S27

SINR/L



SINR/L 0040-T16,
SINR/L 0040-T22, T27
SINR/L 0050-U16
SINR/L 0050-U22, U27

SINR/L



S10K SINR/L 0010K11

SINR/L



SINR 12.7mm H16

Special Boring Bar

STFNR/L 1304



S16/15Q
STFNR/L 1304 - 50

STFNR/L 1304



S16Q STFNR/L 1304
S20Q STFNR/L 1304

STWNR/L



S16Q STWNR/L - 16
S20Q STWNR/L - 16
S25R STWNR/L - 16

STQNR/L



S20Q STQNR 16
S25R STQNR 16

STFNR/L 1604



S20Q STFNR/L 1604
S25R STFNR/L 1604

SWLNR/L



S16Q SWLNR/L 06
S20Q SWLNR/L 06

MCLNR/L



S50U MCLNR/L 19

SCLCR/L

Taegutec Tip



S16Q SCLCR/L 0703

SWLNR/L 04-03

Taegutec Tip



S16Q SWLNR/L 04-03

Special Boring Bar

| | | | | | |
|--|--|---|--|---|---|
| <p>S10K SCLCR/L 03-05 10</p> <p>T - 10.00mm</p> | <p>S10K SCLCR/L 03-05 15</p> <p>T - 15.00mm</p> | <p>S10K SCLCR/L-03-05, 10</p> <p>S10K SCLCR/L-03-05, 15</p> | <p>S10K SCLCR/L 03-05 18/21</p> <p>18/21.00mm</p> | <p>S10K SCLCR/L 03-05 25</p> <p>25.00mm</p> | <p>S10K SCLCR/L-03-05, 25</p> |
| <p>S16/8K SCLCR/L-06 15</p> <p>T - 15.00mm</p> | <p>S16/8K SCLCR/L-06 18</p> <p>T - 18.00mm</p> | <p>S16/8K SCLCR-06-15</p> <p>S16/8K SCLCR-06-18</p> | <p>S16/8K SCLCR/L-06 21,25</p> <p>T - 21/25.00mm</p> | <p>S16/8K SCLCR/L-06 35, 45</p> <p>T - 35/45.00mm</p> | <p>S16/8K SCLCR-06-21</p> <p>S16/8K SCLCR-06-25</p> <p>S16/8K SCLCR-06-35</p> <p>S16/8K SCLCR-06-42</p> |
| <p>S16/10K SCLCR/L-06 18</p> <p>T - 18, 21, 25, 35, 42, 50mm</p> | <p>S16/12K SCLCR/L-06 21</p> <p>T - 18, 21, 25, 35, 42, 50mm</p> | <p>S16/10K SCLCR-06 18,21,25,35,42,50</p> <p>S16/12K SCLCR-06 18,21,25,35,42,50</p> | <p>S16/14K SCLCR/L-09 25</p> <p>T - 25, 35, 50mm</p> | <p>S16/17K SCLCR/L-09 50</p> <p>T - 50mm</p> | <p>S16/14K SCLCR-09 25, 35, 50</p> <p>S16/17K SCLCR-09 50</p> <p>S16/17K SCLCR-06 50</p> |

Special Boring Bar WBMT

| | | | | | |
|--|--|---|--|--|---|
| <p>S10K SWUBR 06-06 -15</p> <p>NEW DESIGN</p> | <p>S10K SWUBR 06-06 -18</p> <p>OLD DESIGN</p> | <p>S10H SWUBR-06-06, 10,15,18,21,25,30</p> <p>S10H SWUBR-06-06, 10,15,18,21,25,30</p> | <p>S10K SWUBR 06-07 -15</p> <p>NEW DESIGN</p> | <p>S10K SWUBR 06-07 -25</p> <p>OLD DESIGN</p> | <p>S10H SWUBR-06-07, 15,18,21,25,30</p> <p>S10H SWUBR-06-07, 15,18,21,25,30</p> |
|--|--|---|--|--|---|

NEW DESIGN

OLD DESIGN

Internal Grooving

| | | |
|---|---|---|
| <p>MGIVR/L KORLOY Tip</p> <p>New</p> <p>MGIVR/L S2016-2, 2.5, 3 MGIVR/L S2520-1.5,2, MGIVR/L S2520-2.5,3 MGIVR/L S2925-1.5,2, 2.5 MGIVR/L S3125-3,4,5 MGIVR/L S3732-3,4,5</p> | <p>STIR/L SANDVIK Tip</p> <p>S16Q STIR/L-2,3 S20Q STIR/L-2,3,4 S25R STIR/L-2,3,4 S32S STIR/L-2,3,4</p> | <p>CTIR/L Ceratzit (GX-16,24)</p> <p>S16Q CTIR/L-2,3 S20Q CTIR/L-2,3,4 S25R CTIR/L-2,3,4 S32S CTIR/L-2,3,4,5</p> |
| <p>TTIR/L TaeguTec Tip</p> <p>S16Q TTIR/L-2,3 S20Q TTIR/L-2,3,4 S25R TTIR/L-2,3,4 S32S TTIR/L-2,3,4,5,6</p> | <p>JSTGR/L KYOCERA Tip</p> <p>S20Q JSTGR/L16 S25R JSTGR/L16 S32S JSTGR/L16</p> | <p>CTIR/L Ceratzit (GX-9)</p> <p>S16/13M - 2 L-26 S16/13M - 3 L-26</p> |

Multi Functional Tools

Chamfering End Mills

VCM 45°

TCMT 16 Tip



VCM 45°TC16-D5X23-
W20,16-L100-Z01

VCM 30°

TCMT 16 Tip



VCM 30°TC16-D6X23-
W20,16-L100-Z01

VCM 45°

TCMT 11 Tip



VMC45°TC11
D11x24- W-16
Z02

VCM 45°

TCMT 16 Tip



VCM 45° TC16-D1X18

VCM 45°

TCMT 16 Tip



VCM 45 TC16-D10X30/
W16/20-L100-Z02

VCM 45 TC16-D20X40/
W16/20-L100-Z02

VCM 45°

TCMT 16 Tip



VCM 45 TC16-
D30X50
W16/20-L100-Z02

END MILLS

End Mills

TaeguTec AX0903 ISCAR APKT 1003 ZCC Tip



D16-2-C16-120,175,200
D18-2-C16-120,175,200
D20-2-C20-120,175,200
D20-3-C20-120,175,200
D25-2-C25-120,175,200
D25-3-C25-120,175,200
D32-3-C32-120,200,300

End Mills

SANDVIK R390-11 MITSUBISHI AP11, 16 AOMT10



D16-2-C16-120,175,200
D18-2-C16-120,175,200
D20-2-C20-120,175,200
D20-3-C20-120,175,200
D25-2-C25-120,175,200
D25-3-C25-120,175,200
D32-3-C32-120,200,250

End Mills (Bull)

TaeguTec & MITSUBISHI Tip



VEMRC-RD1003-D20-
W20-150-Z02
TO
VEMRC-RD1204-D32-
C32-250-Z02

VEMRC-RD12T-D25/D40
W25/C32-L150(250)-Z02

U- Drill System

VTUM (WCM)

16xD3 50 x 3D WCM



Tip Size :

16 x D3 WCM 0302
19.5 x D3 WCM 0302
20 x D3 WCM 0402
23.5 x D3 WCM 0402
24 x D3 WCM 0503
29.5 x D3 WCM 0503
30 x D3 WCM 06T3
44 x D3 WCM 06T3
45 x D3 WCM 0804
50 x D3 WCM 0804

VTUM (SPMT)

13 x 3D 25.5 x 3D SPMT



KORLOY Tip

Tip Size :

12.5 x D3 SPMT 0502
15.5 x D3 SPMT 0502
16 x D3 SPMT 0602
21.5 x D3 SPMT 0602
22 x D3 SPMT 0702
25 x D3 SPMT 0702

VTUM (SP..)

25.5 x D3 50 x 3D SP..



TaeguTec Tip

Tip Size :

25.5 x D3 SP.. 07T3
27.5 x D3 SP.. 07T3
28 x D3 SP.. 0904
33 x D3 SP.. 0904
34 x D3 SP.. 1104
41 x D3 SP.. 1104
42 x D3 SP.. 1405
50 x D3 SP.. 1405

Face Milling

VFMRC

RCMT 10/12 Tip



VFMRC 5R-50-22-4T
VFMRC 5R-63-22-5T
VFMRC 6R-50-22-4T
VFMRC 6R-63-22-5T
VFMRC 6R-80-27-6T

VFM 45°

SN1206



VFM 45C-SN1206-
D050-A22-Z05H

VFM 45C-SN1206-
D200-C60-Z14

VFM 45°

SE.. 12T3..
R245-12T3..



VFM 45-SE12-D050-
A22-Z04-H

VFM 45-SE12-D125-
B10-Z11

VHFM

APMT 1604



VHFM-APMT 1604-D050/
63-A22-Z04-H
VHFM-APMT 1604-D080/
-A27-Z06-H

VTSM 90°

TP 16



VTSM CC06, D45x10,
W32 L120 Z06

VTSM CC09, D32x14,
W25 L100 Z04

VFM 45°

ON 0804




VFM 45-ON08-D063-
A22-Z05H

VFM 45-ON08-D200-
C60-Z12


Jaws

Lap Top Jaws




ACC. TO JOB
150mm
200mm
250mm
300mm
350mm
400mm

L-Type Jaws




6" x 75mm Long
6" x 100mm Long
8" x 75mm Long
8" x 100mm Long
10" x 75mm Long
10" x 100mm Long
12" x 75mm Long
12" x 125mm Long

STD. Jaws



5" x 90/60° STD.
6" x 90/60° STD.
8" x 90/60° STD.
10" x 90/60° STD.
12" x 90/60° STD.

Tool Post (Pocket)



Boring Tool (Pocket)
According to sample


Tool Post (Pocket)
According to sample

STD T-Nut



10mm
12mm
14mm
16mm
17mm
21mm


Turret Pocket Packing Bolt



Tool Packing
2020 Tool


Tool Packing
2525 Tool

Milling Vice/VMC Vice & Hydraulic Vice



Vice Jaws 100 mm (4")
Vice Jaws 150 mm (6")
Vice Jaws 200 mm (8")
Vice Jaws 250 mm (10")

BT- Wiper




BT-50
BT-40
BT-30

Quick Change Taping Chuck



For order :
Shanke dia &
Square size

ERG Tap Collets ER 16,20,25,32




BT-40 ER32
BT-40 ER25

TAP COLLET ERG 16
TAP COLLET ERG 20
TAP COLLET ERG 25
TAP COLLET ERG 32


Sleeve / MT Sleeve

Sleeve OD16-ID-8,10,12 Sleeve OD20-ID-8,10,12,16



Sleeve OD25-ID-8,10,12,16 MT1,2
Sleeve OD32-ID-8,10,12,16,20,25 MT1,2,3
Sleeve OD40-ID-8,10,12,16,20,25,32 MT1,2,3,4
Sleeve OD50-ID-8,10,12,16,20,25,32,40

ECCENTRIC Sleeve /Through Coolant Sleeve




VEC-3240-59
Sleeve OD32, 40
ID10,12,16,20,25

Boring Head


BT50/BT40 NBH2084S

φ 0.005 Ultra Precision



NBJ16 FINE BORING

MBJ φ8-φ41mm



BJ1608-32
BJ16010-40
BJ16012-53
BJ16016-68
BJ16020-83
BJ16025-90
BJ16030-90
BJ16035-90

RBH BORING HEAD



RBH 20-26-C
RBH 25-33-C
RBH 32-42-C
RBH 40-55-C
RBH 52-70-C
RBH 68-92-C
RBH 90-122-C
RBH 100-200-C
RBH 200-300-C
RBH 300-400-C


EVN Fine Boring Head



EWN20 - 36CKB1
EWN25 - 47CKB2
EWN32 - 60CKB3
EWN41 - 74CKB4
EWN53 - 95CKB5
EWN68 - 150CKB6

EWN HEAD EWB08203

Ø 8 - Ø 203



MODEL
EWB 1608
EWB 1612
EWB 1616
EWB 1631
EWB 1665
ENH6-1
ENH6-2
ENH6-3


Boring Head NBH 2084



NBH 2084 BT-40
8-280mm
NBH 2084 BT-50
8-280mm
(0-01mm)

BCA, CAT, SK, BBT BORING HEAD

BCA, CAT, SK, BBT Boring Head & Cartridge



BCA 19 - L 150 19-23
BCA 23 - L 135 23-29
BCA 29 - L 150 29-41
BCA 38 - L 150 38-49
BCA 46 - L 150 46-66
BCA 62 - L 165 62-87
BCA 83 - L 150 83-108
BCA 98 - L 150 98-142

BT50/BT40 BCA Boring Head




BCA 19-23 L125
BCA 19-23 L150
BCA 23-29 L125
BCA 23-29 L150
BCA 23-29 L175
BCA 83-108 L150
BCA 83-108 L175
BCA 83-108 L200

BT50/BT40 BCA Boring Head



BCA 46-62 L150
BCA 46-62 L180
BCA 62-87 L150
BCA 62-87 L180

Face Mill Adaptor



BT-40 60x60
BT-50 150

Face Mill Adaptor



BT-40 L-100, 150
BT-50 L-100, 150
200, 250, 300, 350,
400, 450, 500


LARGE MICRO BORING HEAD



EWN -200-300
EWN -300-400
EWN -400-500
EWN -500-600
EWN -600-700
EWN -700-800
EWN -800-900
EWN -900-1000

Micro Boring Bar & Boring Head

Clamping Kit



CLAMPING KIT 1412
CLAMPING KIT 1612
CLAMPING KIT 1812
CLAMPING KIT 1816

Jack Type Clamping Kit - 58



CLAMPING KIT 1412
CLAMPING KIT 1612
CLAMPING KIT 1812
CLAMPING KIT 1816

Clamping Kit Spare



Studs M12=24 Pcs.
Nut 18-12 =6 Pcs.
Flanged Nuts=6 Pcs.
External Nut=6 Pcs.
Strip Clamps=8 Pcs.
Jack Blocks=8 Pcs.

Collet Chuck

BT-ER Collet Chuck



BT-50/40/30-ER40/32/
25/20/16-070-L,
100-L, 125-L,150-L

BT-ER Collet Chuck



BT-40 ER16-150

BT-50/40/30
FMB-22,27,32,40
L-100,150,200,
250,300,450,500

BT- FMB



BT- SLA



BT-50/40/30
SLA-40,32,25,20,16
100-L, 150-L

BT-40 Drill Chuck



BT - Drill Chuck
BT-40 APU13-110
BT-50 APU13-105

BT-40 JT-6
BT-50 JT-6

Drill Chuck Adopter



Adopter LBK/CKB



LBK2 85,115mm
LBK3 95, 125, 155mm
LBK4 135, 155mm
LBK5 175 mm
LBK6 165 mm
BST Series 200mm

BT- MT



BT-40 MT-1,2,3,4 L-100
BT-50 MT-1,2,3,4,5 L-100

SK-40 MT-3

SK-40 Adopter



HSK - Collet Chuck

HSK-ER Collet Chuck



ER-32
L-100
L-150

HSK-ER Collet Chuck



ER-16, 25,
L-100,150

HSK-SLA



HSK-50
SLA 16
20, 25
32, 40
L-100
150

ER-Collet Chuck UM NUT



ER32-D32 L100
ER40-D40 L100
ER32-D40 L100

ER-Collet Chuck M NUT



ER8-D8 L150
ER-11-D16 L150
ER20-D20 L150
ER25-D25 L150
ER25-D32 L100


ER-16 D12 L150
ER-16 D12 L350

A-Type Collet Chuck



Accessories

BT-Clamping Fixture



BT-50
BT-40
BT-30

HSK Clamping Fixture




HSK 50
HSK 63
HSK 100

Trolley



BT-30
BT-40
BT-50
HSK 50
HSK 63
HSK 100

ER-Nut



ER-Nut-50/
40/32/25/20
ER-M-Nut-20/
16/11/8

ER-Collet C-Collet



ER-50/40/32/
25/20/16/11/8
C-Collet-40/32/
25/20/16/11/8

ER-Collet Through Coolant



ER-16
ER-20
ER-25
ER-32
ER-40

Pull Stud



BT-50/40/30
Through Coolant
BT-50/40/30
CAT 40 / ISO 40, 30
Din Standard DIN69872
CAT 40, 50 / ISO 30,40,50
Din Standard

Revolving Centre




MT-3, MT-4
MT-5
MT - 4Bullet

Spanner




A Spanner
ER8,11,16,20A
M Spanner-
ER8,11,16,20

Touching Pin



ELECTRICAL
C-20/Ball10-L120
EDGE FINDER
EDGE FINDER
EFR-104

Bullet



MT3 Bullet
MT4 Bullet
MT5 Bullet
Spl. Bullet
on Order

Spanner



C Spanner-
ER-50/40/32/25
E Spanner-
ER-50/40/32/25

M1TR Collet Adaptor



R8 ER32
R8 ER25
R8 ER20

M1TR FMB Adaptor



R8 FMB-22, 27

MT - FMB



MT3, MT4, MT5
FMB 22, 27, 32

MT-ER-Collet Chuck




MT3 ER32-UM NUT
MT3 ER40-UM NUT
MT4 ER32-UM NUT
MT4 ER40-UM NUT
MT5 ER32-UM NUT
MT5 ER40-UM NUT

Ind. Waste Scraper



Industrial
Waste
Scraper

Drawbars Assemble



Drawbars

MT-5- ER32



Aluminum VMC & CNC Coolant Pipe





R. R. TOOLS (INDIA)

Specialist in: Soft Jaws / Tooling for CNC Turning Centres and CNC Vertical Milling
Special Carbide Tooling and all spares & accessories

3F/149, Block-F, N.I.T. Faridabad-121001 (Hr.)

Mob.: 09971271222, Ph. : 0129-4120222

E-mail: rrtoolsindia@gmail.com Website : www.rrtoolsindia.in